# **SAFETY DATA SHEET**

## 1. PRODUCT

## 1.1 Product identifiers

Name: 1,2-Dichlorobenzene

CAS-No.: 95-50-1

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

| Pictogram              | <b>() ( ) () () () () () () () () ( ) ( ) () ( ) (</b> |
|------------------------|---|
| Signal word            | Warning   |
| Hazard<br>statement(s) | H227 Combustible liquid. H302 + H332 Harmful if swallowed or if inhaled H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.  |

Precautionary P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. statement(s) P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula:  $C_6H_4Cl_2$  Molecular weight: 147.00 g/mol CAS-No.: 95-50-1 EC-No.: 202-425-9

# **Hazardous components**

| Component           | Classification   | Concentration |
|---------------------|--|---------------|
| 1,2-Dichlorobenzene |  |               |
| -10ETT              | Flam. Liq. 4; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H227, H302 + H332, H315, H317, H319, H335, H410 |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

| General advice  |
|---|
| Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.                   |
| If inhaled  |
| If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.             |
| In case of skin contact   |
| Wash off with soap and plenty of water. Consult a physician.  |
| In case of eye contact  |
| Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.                                      |
| If swallowed  |
| Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. |

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

| Component           | CAS-No. | Value   | Control parameters                      | Basis   |  |
|---------------------|---------|---|---|---|--|
| 1,2-Dichlorobenzene | 95-50-1 | TWA   | 25.000000<br>ppm                        | USA. ACGIH Threshold Limit Values (TLV)   |  |
|                     | Remarks | Upper Respiratory Tract irritation Eye irritation Liver damage Not classifiable as a human carcinogen |   |   |  |
|                     |         | TWA   | 25 ppm                                  | USA. ACGIH Threshold Limit Values (TLV)   |  |
|                     |         | Upper Respiratory Tract irritation Eye irritation Liver damage Not classifiable as a human carcinogen |   |   |  |
|                     |         | STEL  | 50.000000<br>ppm                        | USA. ACGIH Threshold Limit Values (TLV)   |  |
|                     |         | Upper Respiratory Tract irritation Eye irritation Liver damage Not classifiable as a human carcinogen |   |   |  |
|                     |         | STEL  | 50 ppm                                  | USA. ACGIH Threshold Limit Values (TLV)   |  |
|                     |         | Upper Respiratory Tract irritation Eye irritation Liver damage Not classifiable as a human carcinogen |   |   |  |
|                     |         | С   | 50.000000<br>ppm<br>300.000000<br>mg/m3 | USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants         |  |
|                     |         | The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing zone air samples. |   |   |  |
|                     |         | С   | 50.000000<br>ppm<br>300.000000<br>mg/m3 | USA. NIOSH Recommended Exposure Limits  |  |
|                     |         | С   | 50 ppm                                  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |  |
|                     |         | Skin  |   |   |  |
| 230                 |         | PEL   | 25 ppm 150<br>mg/m3                     | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |  |
|                     |         | Skin  |   |   |  |

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

| Eye/face protection | Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).   |
|---------------------|--|
| Skin<br>protection  | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact  Material: Fluorinated rubber  Minimum layer thickness: 0.7 mm  Break through time: 480 min  Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)  Splash contact  Material: Nitrile rubber  Minimum layer thickness: 0.4 mm  Break through time: 38 min  Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)  data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. |

| Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.   |
|---|
| Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-<br>purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.<br>If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and<br>components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |
| Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

| Appearance                                   | Form: liquid, clear<br>Colour: colourless  |
|--|--|
| Odour  | No data available  |
| Odour Threshold                              | No data available  |
| pН   | No data available  |
| Melting point/freezing point                 | Melting point/range: -1817 °C (0 - 1 °F) - lit.                                    |
| Initial boiling point and boiling range      | 178 - 180 °C (352 - 356 °F) - lit.   |
| Flash point                                  | 66.0 °C (150.8 °F) - closed cup  |
| Evaporation rate                             | No data available  |
| Flammability (solid, gas)                    | No data available  |
| Upper/lower flammability or explosive limits | Upper explosion limit: 9.2 %(V) Lower explosion limit: 2.2 %(V)                    |
| Vapour pressure                              | 2.1 hPa (1.6 mmHg) at 35.0 °C (95.0 °F)<br>1.6 hPa (1.2 mmHg) at 20.0 °C (68.0 °F) |
| Vapour density                               | No data available  |
| Relative density                             | 1.306 g/cm3 at 25 °C (77 °F)   |
| Water solubility                             | ca.0.1558 g/l at 25 °C (77 °F) - partly soluble                                    |
| Partition coefficient: n-octanol/water       | log Pow: ca.3.433 at 25 °C (77 °F)   |
| Auto-ignition temperature                    | 648.0 °C (1,198.4 °F)  |
| Decomposition temperature                    | No data available  |
| Viscosity                                    | No data available  |
| Explosive properties                         | No data available  |
| Oxidizing properties                         | No data available  |

# 9.2 Other safety information

Surface tension: ca.36.61 mN/m

## 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 500.0 mg/kg Inhalation: No data available

LD50 Dermal - Rabbit - > 10,000 mg/kg

No data available

## Skin corrosion/irritation

Skin - Rabbit

(OECD Test Guideline 404)

### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

in vivo assay - Mouse

May cause sensitisation by skin contact.

(OECD Test Guideline 429)

## Germ cell mutagenicity

No data available

Ames test

Salmonella typhimurium

Result: negative

OECD Test Guideline 474

Mouse - male - Bone marrow

Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA

# Reproductive toxicity

No data available

#### Specific target organ toxicity -single exposure

No data available

#### Specific target organ toxicity -repeated exposure

#### **Aspiration hazard**

No data available

## **Additional Information**

Repeated dose

toxicity

Rat - male and female - Oral - 24 h - NOAEL : 60 mg/kg - LOAEL : 125 mg/kg - OECD Test Guideline 408 RTECS: CZ4500000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

| Toxicity to fish                                    | flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 1.58 mg/l - 96 |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Ceriodaphnia dubia (water flea) - 0.66 mg/l - 48 h         |
| Toxicity to algae                                   | Growth inhibition EC50 - Pseudokirchneriella subcapitata - 2.2 mg/l - 96 h    |
| Toxicity to bacteria                                | No data available   |

#### 12.2 Persistence and degradability

| , , | aerobic - Exposure time 28 d<br>Result: 0 % - Not readily biodegradable.<br>(OECD Test Guideline 301C) |
|-----|--|
|-----|--|

### 12.3 Bioaccumulative potential

| Bioaccumulation | Cyprinus carpio (Carp) - 56 d<br>- 0.01 mg/l                       |
|-----------------|--|
|                 | Bioconcentration factor (BCF): 90 - 260 (OECD Test Guideline 305C) |

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 1591 Class: 6.1 Packing group: III

Proper shipping name: o-Dichlorobenzene

Reportable Quantity (RQ): 10 lbs
Poison Inhalation Hazard: No

## **IMDG**

UN number: 1591 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: ortho-DICHLOROBENZENE

Marine pollutant:yes

## **IATA**

UN number: 1591 Class: 6.1 Packing group: III Proper shipping name: o-Dichlorobenzene

# 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

| Component           | CAS-No. | Revision Date |
|---------------------|---------|---------------|
| 1,2-Dichlorobenzene | 95-50-1 | 2007-07-01    |

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

| Component           | CAS-No. | Revision Date |
|---------------------|---------|---------------|
| 1,2-Dichlorobenzene | 95-50-1 | 2007-07-01    |

# **Pennsylvania Right To Know Components**

| Component           | CAS-No. | Revision Date |
|---------------------|---------|---------------|
| 1,2-Dichlorobenzene | 95-50-1 | 2007-07-01    |

## **New Jersey Right To Know Components**

| Component           | CAS-No. | Revision Date |
|---------------------|---------|---------------|
| 1,2-Dichlorobenzene | 95-50-1 | 2007-07-01    |

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation

Flam. Liq. Flammable liquids

H227 Combustible liquid.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

# **HMIS Rating**

Health hazard: 2

Chronic Health Hazard: \*

Flammability: 2

Physical Hazard 1

## **NFPA Rating**

Health hazard: 2

Fire Hazard: 2

Reactivity Hazard: 0