

SAFETY DATA SHEET

1. PRODUCT

1.1 Product identifiers

Name: 2-Butanone oxime

CAS-No.: 96-29-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Dermal (Category 4), H312


Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

Carcinogenicity (Category 2), H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

| | |
|----------------------------|---|
| Pictogram |  |
| Signal word | Danger |
| Hazard statement(s) | H227 Combustible liquid. H312 Harmful in contact with skin. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H351 Suspected of causing cancer. |
| Precautionary statement(s) | P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P322 Specific measures (see supplemental first aid instructions on this label). P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms: Methyl ethyl ketoxime
Formula: C₄H₉NO
Molecular weight: 87.12 g/mol
CAS-No.: 96-29-7
EC-No.: 202-496-6

Hazardous components

| Component | Classification | Concentration |
|------------------|---|---------------|
| 2-Butanone oxime | Flam. Liq. 4; Acute Tox. 4; Eye Dam. 1; Skin Sens. 1; Carc. 2; H227, H312, H317, H318, H351 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| |
|---|
| General advice |
| Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
| If inhaled |
| If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| In case of skin contact |
| Wash off with soap and plenty of water. Consult a physician. |
| In case of eye contact |
| Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| If swallowed |
| Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. |

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive

concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|------------------|---------|-------------------------------|--------------------|---|
| 2-Butanone oxime | 96-29-7 | TWA | 10.000000 ppm | USA. Workplace Environmental Exposure Levels (WEEL) |
| | Remarks | Dermal Sensitization Notation | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

| | |
|------------------------|---|
| Eye/face protection | Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). |
| Skin protection | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. |
| Body Protection | Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. |
| Respiratory protection | Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |

| | |
|-----------------------------------|--|
| Control of environmental exposure | Prevent further leakage or spillage if safe to do so. Do not let product enter drains. |
|-----------------------------------|--|

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Appearance | Form: clear, liquid Colour: colourless |
| Odour | No data available |
| Odour Threshold | No data available |
| pH | No data available |
| Melting point/freezing point | -29.5 °C (-21.1 °F) - OECD Test Guideline 102 |
| Initial boiling point and boiling range | 59 - 60 °C (138 - 140 °F) at 20 hPa (15 mmHg) - lit. 151 - 152 °C (304 - 306 °F) at 1,013 hPa (760 mmHg) - lit. |
| Flash point | 61.97 °C (143.55 °F) - closed cup |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower flammability or explosive limits | No data available |
| Vapour pressure | < 11 hPa (< 8 mmHg) at 20 °C (68 °F) |
| Vapour density | 3.01 - (Air = 1.0) |
| Relative density | 0.924 g/cm ³ at 25 °C (77 °F) |
| Water solubility | ca.100 g/l at 25 °C (77 °F) - OECD Test Guideline 105 - soluble |
| Partition coefficient: n-octanol/water | ca.log Pow: 0.63 |
| Auto-ignition temperature | 314 - 317 °C (597 - 603 °F) |
| Decomposition temperature | No data available |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidizing properties | No data available |

9.2 Other safety information

Dissociation constant ca.12.45 at 25 °C (77 °F)

Relative vapour density: 3.01 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| | |
|--|--|
| Acute toxicity | |
| LD50 Oral - Rat - male - 2,326 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 4.83 mg/l (OECD Test Guideline 403) Dermal: No data available LD50 Subcutaneous - Rat - 2,702 mg/kg | |
| Skin corrosion/irritation | |
| Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404) | |
| Serious eye damage/eye irritation | |
| Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405) | |
| Respiratory or skin sensitisation | |
| Buehler Test - Guinea pig May cause sensitisation by skin contact. (OECD Test Guideline 406) | |
| Germ cell mutagenicity | |
| in vitro assay S. typhimurium Result: negative Drosophila melanogaster - male Result: negative | |
| Carcinogenicity | |
| Limited evidence of carcinogenicity in animal studies IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. | |
| Reproductive toxicity | |
| No data available No data available | |
| Specific target organ toxicity -single exposure | |
| No data available | |
| Specific target organ toxicity -repeated exposure | |
| No data available | |
| Aspiration hazard | |
| No data available | |
| Additional Information | |
| Repeated dose toxicity - Rat - male - Drinking - No observed adverse effect level - 25 mg/kg Repeated dose toxicity - Rat - male and female - inhalation (vapour) - No observed adverse effect level - 0.009 mg/kg RTECS: EL9275000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. | |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| | |
|---|--|
| Toxicity to fish | semi-static test LC50 - Oryzias latipes - > 100 mg/l - 96 h (OECD Test Guideline 203) |
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - ca. 201 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to algae | static test EC50 - Scenedesmus capricornutum (fresh water algae) - ca. 11.8 mg/l - 72 h (OECD Test Guideline 201) |
| Toxicity to bacteria | No data available |

12.2 Persistence and degradability

12.3 Bioaccumulative potential

| | |
|-----------------|---|
| Bioaccumulation | Cyprinus carpio (Carp) - 42 d - 2 mg/l Bioconcentration factor (BCF): 0.5 - 0.6 (OECD Test Guideline 305C) |
|-----------------|---|

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| |
|---|
| Product |
| Contact a licensed professional waste disposal service to dispose of this material. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. |
| Contaminated packaging |
| Dispose of as unused product. |

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1993 Class: 3 Packing group: III

Proper shipping name: Flammable liquids, n.o.s. (2-Butanone oxime)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1993 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (2-Butanone oxime)

IATA

UN number: 1993 Class: 3 Packing group: III

Proper shipping name: Flammable liquid, n.o.s. (2-Butanone oxime)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| Component | CAS-No. | Revision Date |
|------------------|---------|---------------|
| 2-Butanone oxime | 96-29-7 | |

New Jersey Right To Know Components

| Component | CAS-No. | Revision Date |
|------------------|---------|---------------|
| 2-Butanone oxime | 96-29-7 | |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Carc. Carcinogenicity

Eye Dam. Serious eye damage

Flam. Liq. Flammable liquids

H227 Combustible liquid.

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

Skin Sens. Skin sensitisation

HMIS Rating

Health hazard: 2

Chronic Health Hazard:

Flammability: 2

Physical Hazard 0

NFPA Rating

Health hazard: 2

Fire Hazard: 2

Reactivity Hazard: 0
